

SECTIO	ON 1. Identification of the substance/mixture and of the company/undertaking
1.1	Product identifier
	Trade Name:
	LITE ART " CLEAR LIQUID "
1.2	Relevant identified uses of the substance or mixture and uses advised against
	Relevant identified uses: Dental material
	Uses advised against: No further data
1.3	Details of the supplier of the safety date sheet
	Company/Undertaking identification
	Manufacturer's Name: SHOFU DENTAL GmbH
	Address: Am Brüll 17, 40878 Ratingen, Germany
	Phone: +49 (0) 2102-8664-0
	Fax: +49 (0) 2102-8664-64
	E-Mail: info@shofu.de
	Section in Charge: Quality Management & Regulatory Affairs
1.4	Emergency Telephone Number
	+49-2102-8664-53 (SHOFU DENTAL GmbH) 24 hours / 7 days
SECTIO	DN 2. Hazards identification
2.1	Classification of the substance or mixture
2.1	CLASSIFICATION (EC 1272/2008)
	Not applicable.
2.2	Label elements
	LABEL IN ACCORDANCE WITH (EC) NO.1272/2008
	Void
	HAZARD-DETERMINING COMPONENTS OF LABELLING
	SIGNAL WORD
	Void
	HAZARD STATEMENTS
	Void
	PRECAUTIONARY STATEMENTS
	Void
2.3	Other hazards
	Results of PBT and vPvB assessment
	PBT: Not applicable.
	vPvB: Not applicable.
SECTIO	
3.1	Chemical characterization: Mixtures
3.2	Description: Mixture of substances listed below with nonhazardous additions.
3.3	Dangerous components: Void
3.4	Additional information: For the wording of the listed risk phrases refer to section 2.
SECTIO	DN 4. First-aid measures
SECH	JN 4. Thist-alu measures

4.1 Description of first aid measures

(Contd. on page2)



4.2

4.3

(Contd. on page1)					
Rinse cautiously with water for several minutes. Remove contact lenses, if					
present. and easy to do. If eye irritation persists, get medical advice/attention.					
Wash immediately with soap and plenty of water. If on skin, skin irritation, get					
medical advice/attention.					
Rinse mouth. Get medical advice/attention.					
Remove victim to fresh air and keep at rest in a position comfortable for breathing.					
If symptom concerning breath goes out, call a POISON CENTER or doctor.					
Most important symptoms and effects, both acute and delayed					
No further relevant information available.					
Indication of any immediate medical attention and special treatment needed					
No further relevant information available.					

SECTION 5. Fire-fighting measures

- 5.1 Extinguishing Media: CO₂, Dry chemical, Foam
- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- 5.3 Advice for firefighters:Wear fire protective cloth and self-contained breathing apparatus, if necessary.

SECTION 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures: Avoid eye and skin contact.
- 6.2 Environmental Precautions: Send to approved treatment/disposal company or dispose according to local, state and federal regulations.
- 6.3 Methods and material for containment and cleaning up: Wipe up and discard in a suitable container.
- 6.4 Reference to other section:See Section 7 for information on safe handling.See Section 8 for information on personal protection equipment.See Section 13 for disposal information.

SECTION 7. Handling and storage

7.1 Precautions for safe handling: Avoid inhalation of grindings and prolonged skin contact with uncured resin.
7.2 Conditions for safe storage, including any incompatibilities: Store in a cool and dark area. (Keep refrigerated when not in use)

7.3 Specific end use(s): No further relevant information available

SECTION 8. Exposure controls/personal protection

8.1 Control parameters: Ingredients with limit values that require monitoring at the workplace:

(Contd. on page3)



(Contd. or The product does not contain any relevant quantities of materials with critical value have to be monitored at the workplace. 8.1 Exposure controls: Respiratory Protection: Required (use dust mask while grinding or finishing.) Skin Protection: Hand Protection The glove material has to be impermeable and resistant to the product substance/ the preparation. Due to missing tests no recommendation to the glove material can b for the product/ the preparation/the chemical mixture.	lues th
 8.1 Exposure controls: Respiratory Protection: Skin Protection: Nequired (use dust mask while grinding or finishing.) Hand Protection The glove material has to be impermeable and resistant to the product substance/ the preparation. Due to missing tests no recommendation to the glove material can be 	
 8.1 Exposure controls: Respiratory Protection: Skin Protection: Nequired (use dust mask while grinding or finishing.) Hand Protection The glove material has to be impermeable and resistant to the product substance/ the preparation. Due to missing tests no recommendation to the glove material can be 	
Respiratory Protection: Required (use dust mask while grinding or finishing.) Skin Protection: Hand Protection The glove material has to be impermeable and resistant to the produstance/ the preparation. Due to missing tests no recommendation to the glove material can be	
Required (use dust mask while grinding or finishing.)Skin Protection:Hand ProtectionThe glove material has to be impermeable and resistant to the produ substance/ the preparation.Due to missing tests no recommendation to the glove material can b	
Skin Protection:Hand ProtectionThe glove material has to be impermeable and resistant to the product substance/ the preparation.Due to missing tests no recommendation to the glove material can be	
The glove material has to be impermeable and resistant to the produsubstance/ the preparation. Due to missing tests no recommendation to the glove material can b	
Due to missing tests no recommendation to the glove material can b	
	ne aive
	be give
Selection of the glove material on consideration of the penetration tir	imes
rates of diffusion and the degradation.	
· Material of gloves	
The selection of the suitable gloves does not only depen	end on
the material, but also on further marks of quality and vari manufacturer to manufacturer. As the product is a prepa of several substances, the resistance of the glove mater not be calculated in advance and has therefore to be che	ries fro paratior erial car
prior to the application.	
Penetration time of glove material	
The exact break through time has to be found out by the	
o ,	е
manufacturer of the protective gloves and has to be obs	
manufacturer of the protective gloves and has to be obs • For the permanent contact of a maximum of 15 minutes gloves ma	served
manufacturer of the protective gloves and has to be obs For the permanent contact of a maximum of 15 minutes gloves ma the following materials are suitable: 	served
For the permanent contact of a maximum of 15 minutes gloves ma	served
 For the permanent contact of a maximum of 15 minutes gloves may the following materials are suitable: 	served
For the permanent contact of a maximum of 15 minutes gloves mather the following materials are suitable: Butyl rubber, BR	served
 For the permanent contact of a maximum of 15 minutes gloves may the following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR 	served
 For the permanent contact of a maximum of 15 minutes gloves mather following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles 	served
 For the permanent contact of a maximum of 15 minutes gloves mathe following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles 	served nade of
 For the permanent contact of a maximum of 15 minutes gloves mather following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles ECTION 9. Physical and chemical properties Appearance/Odor/Colour: Liquid with some viscosity of the transparent 	served nade of
 For the permanent contact of a maximum of 15 minutes gloves mather following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles Safety goggles Information on basic physical and chemical properties Appearance/Odor/Colour: Odour threshold Liquid with some viscosity of the transparent Not determined. 	served nade of
 For the permanent contact of a maximum of 15 minutes gloves mather following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles Safety goggles Information on basic physical and chemical properties Appearance/Odor/Colour: Odour threshold pH Kot determined. 	served nade of
 For the permanent contact of a maximum of 15 minutes gloves mather following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles Safety goggles Information on basic physical and chemical properties Appearance/Odor/Colour: Odour threshold PH Not determined. Not determined. Melting point/freezing point Not determined. 	served nade of
 For the permanent contact of a maximum of 15 minutes gloves mathe following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles Safety goggles Information on basic physical and chemical properties Appearance/Odor/Colour: Odour threshold PH Not determined. PH Not determined. Melting point/freezing point Not determined. Not determined. Not determined. Soliing Point: Soliing Point: Soliiing Point:	served nade of
 For the permanent contact of a maximum of 15 minutes gloves may the following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles Safety goggles Information on basic physical and chemical properties Appearance/Odor/Colour: Odour threshold PH Not determined. Not determined. Melting point/freezing point Not determined. Soiling Point: Flash point: > 200 °C 	served nade of
 For the permanent contact of a maximum of 15 minutes gloves may the following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles Safety goggles Information on basic physical and chemical properties Appearance/Odor/Colour: Odour threshold PH Not determined. Not determined. Melting point/freezing point Not determined. Soling Point: Plash point: Evaporation rate Not determined. Not determined. Not determined. Soling Point: Soling Poi	served nade of
For the permanent contact of a maximum of 15 minutes gloves may the following materials are suitable: Butyl rubber, BR Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles Solution on basic physical and chemical properties Appearance/Odor/Colour: Liquid with some viscosity of the transparent Odour threshold PH Not determined. Melting point/freezing point Not determined. Boiling Point: > 200 °C Flash point: > 220 °C Evaporation rate Not determined. Flammability (solid, gas) Not applicable.	served nade of
 For the permanent contact of a maximum of 15 minutes gloves may the following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles Safety goggles Information on basic physical and chemical properties Appearance/Odor/Colour: Iquid with some viscosity of the transparen Odour threshold Not determined. Melting point/freezing point Not determined. Melting point/freezing point Not determined. Safety gog C Flash point: Flash point: Safety gog C Evaporation rate Not determined. Not determined. Not determined. Melting point: Safety gog C Evaporation rate Not determined. Not determined. Not determined. Not determined. Metaplicable. Upper/lower flammability or explosive limits Not determined. 	served nade of
For the permanent contact of a maximum of 15 minutes gloves mather the following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles ECTION 9. Physical and chemical properties Appearance/Odor/Colour: Information on basic physical and chemical properties Appearance/Odor/Colour: Dodour threshold Not determined. PH Not determined. Melting point/freezing point Not determined. Melting point: Safety goggles Not determined. Boiling Point: Safety goggles Substitution of the transparent Odour threshold Not determined. Safety goggles Substitution of the transparent Safety goggles Safety goggles	served nade of
For the permanent contact of a maximum of 15 minutes gloves may the following materials are suitable: Butyl rubber, BR Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles CTION 9. Physical and chemical properties Appearance/Odor/Colour: Liquid with some viscosity of the transparen Odour threshold Not determined. pH Not determined. Boiling Point: > 200 °C Flash point: > 220 °C Evaporation rate Not determined. Flammability (solid, gas) Not determined. Upper/lower flammability or explosive limits Not determined. Vapour pressure Not determined. Vapour density Not determined.	served nade of
For the permanent contact of a maximum of 15 minutes gloves may the following materials are suitable: Butyl rubber, BR Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles CTION 9. Physical and chemical properties Appearance/Odor/Colour: Liquid with some viscosity of the transparen Odour threshold Not determined. pH Not determined. Boiling Point: > 200 °C Flash point: > 220 °C Evaporation rate Not applicable. Upper/lower flammability or explosive limits Not determined. Vapour pressure Not determined. Vapour density Not determined. Relative Density: 1.17 (water=1)	served nade of
For the permanent contact of a maximum of 15 minutes gloves may the following materials are suitable: Butyl rubber, BR Butyl rubber, BR Nitrile rubber, NBR Eye Protection: Safety goggles CTION 9. Physical and chemical properties Appearance/Odor/Colour: Liquid with some viscosity of the transparen Odour threshold Not determined. pH Not determined. Boiling Point: > 200 °C Flash point: > 220 °C Evaporation rate Not determined. Flammability (solid, gas) Not determined. Upper/lower flammability or explosive limits Not determined. Vapour pressure Not determined. Vapour density Not determined.	served nade of

(Contd. on page4)



SAFETY DATA SHEET

(Contd. on page3)

Auto-ignition temperature Decomposition temperature Viscosity Explosive properties Oxidising properties

- Not determined. Not determined. Not determined. Not applicable.
- 9.2 Other information No further relevant information available.

SECTION 10. Stability and reactivity

- 10.1 Reactivity: Polymerization will occur with heat, light.
 10.2 Chemical stability: Stable under normal temperatures and pressures.
 10.3 Possibility of hazardous reactions: No dangerous reactions known.
 - 10.4 Condition to Avoid: Direct sunlight, high temperature and heating.
 - 10.5 Incompatible materials: Strong oxidizing materials.
 - 10.6 Hazardous Decomposition Products: None under normal conditions of storage and use.

SECTION 11. Toxicological information

11.1 Information on toxicological effects:

Acute toxicity:Based on available data, the classification criteria are not met.Skin corrosion/irritation:Based on available data, the classification criteria are not met.Eye damage/irritation:Based on available data, the classification criteria are not met.Sensitization to the respiratory tract:Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Skin sensitization: Based on available data, the classification criteria are not met. Germ cell mutagenicity/Genotoxicity:

Based on available data, the classification criteria are not met.Carcinogenicity:Based on available data, the classification criteria are not met.Reproductive toxicity:Based on available data, the classification criteria are not met.Effects on or via lactation:Lack of data.

Specific target organ toxicity (single exposure):

Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure):

Based on available data, the classification criteria are not met.Aspiration hazard:Based on available data, the classification criteria are not met.

SECTION 12. Ecological information

12.1 Toxicity:

No further relevant information available.

(Contd. on page5)



SAFETY DATA SHEET

(Contd. on page4)

	(Contd. on page4)
12.2 Persistence and degradability:	
No further relevant information available.	
12.3 Bioaccumulative potential:	
No further relevant information available.	
12.4 Mobility in soil:	
No further relevant information available.	
12.5 Results of PBT and vPvB assessment:	
Not applicable.	
12.6 Other adverse effects:	
No further relevant information available.	
SECTION 13. Disposal considerations	
13.1 Waste treatment methods:	
Dispose of contents/container to in accordance with local/regional/national/inte	arnational
regulations.	matorial
SECTION 14. Transport information	
14.1 UN number: Void	
14.2 UN proper shipping name: Void	
14.4 Packing group: Void	
14.5 Environmental hazards: No further relevant information availab	le.
14.6 Special precautions for user: Not applicable.	
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	
Not applicable.	
SECTION 15. Regulatory information	
15.1 Safety, health and environmental regulations/legislation specific for the substant	nce or mixture:
EU REGULATIONS: See Section 2	
 Other regulations, limitations and prohibitive regulations: 	
The product is a medical device according to the EC-directive 93/42/EE	С.
15.2 Chemical safety assessment:	
A Chemical Safety Assessment has not been carried out.	
SECTION 16. Other information	
This product is intended for use by dental professionals. (instrument/material)	
Abbreviations and acronyms:	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	